

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13	(authenticat\$3) with (fail\$3 adj count\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/08 15:19
L2	1	L1 and (decreas\$3 or decrement\$3) with count\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/08 15:20
L3	1519	(fail\$3 adj count\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/08 15:20
L4	250	L3 and (decreas\$3 or decrement\$3) with count\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/08 15:20
L5	170	L4 and @ad<"20010612"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/08 15:20
L6	28	L5 and (authenticat\$3 or validati\$3 or registrat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/08 15:27
L7	2	"5594227".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/08 16:35
L8	8	("6452925" or "6891819" or "6230009").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/08 16:35

S1	15994	380/247,255.ccls. or 726/2-7,16-18, 22,27-29.ccls. or 709/223-225.ccls. or 713/150,153,182-186.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:07
S2	7979	S1 and @ad<"20010612"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:12
S3	739170	(wireless or mobile)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:12
S4	149224	S3 and (id or identificatoin or identifier)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:12
S5	13353	S4 and (request\$3 with address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:13
S6	2702	S5 and (fail\$3 or error) with (number or count or threshold)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:18
S7	1334	S6 and (increas\$3 or increment\$3) with (number or count)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:14
S8	467	S7 and (decreas\$3 or decrement\$3) with (number or count)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:14

S9	13	S8 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:18
S10	457	S5 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:18
S11	291	S10 and authenticat\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:18
S12	78	S11 and (fail\$3 or error) with (number or count or threshold)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:26
S13	13	S10 and (authenticat\$3 or authoriz\$3) with (fail\$3 or error) with (number or count or threshold)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:30
S14	1024	(authenticat\$3 or authoriz\$3) with (fail\$3 or error) with (number or count or threshold)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:30
S15	167	S14 and (authenticat\$3 or authoriz\$3) with (wireless or mobile)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:31
S16	42	S15 and @ad<"20010612"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:33

S17	10	S16 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:31
S18	8	S16 and ((request\$3 or assign\$3 or obtain\$3) with address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:42
S19	2	"4211919".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:43
S20	146437	(mobile or wireless) with (station or laptop or equipment)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:45
S21	72501	S20 and @ad<"20010612"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:08
S22	3142	S21 and (request\$3 or obtain\$3) with (address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:02
S23	33	S22 and (fail\$3 with count\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:54
S24	13	S23 and (secur\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:47

S25	18	S23 and (secur\$3 or protect\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:47
S26	849	S21 and (request\$3 or obtain\$3) with ((communication or network or ip) adj (address))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:55
S27	5	S26 and (fail\$3 with count\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:54
S28	154	S26 and ((station or equipment) with (identifier or id))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:55
S29	245	(authentication or verification or registration) with fail\$3 with count\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:03
S30	123	S29 and @ad<"20010612"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:03
S31	72	S30 and (network or lan or wan or wireless)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:04
S32	18	S31 and S20	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:06

S33	19	S30 and S20	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:07
S34	29	authentication with failure with count\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:08
S35	9	S34 and @ad<"20010612"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:09
S36	4	S35 and (mobile or wireless)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:26
S37	2	"5159592".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:26
S38	193	(station or device) with (id or identification or identifier or number) with (address adj request\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 13:50
S39	113	S38 and @ad<"20010612"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 13:50
S40	23	S39 and (security or secure)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 14:13

S41	47	(registration or authentication) with (fail or failure) with count	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 14:13
S42	24	S41 and @ad<"20010612"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 14:17
S43	0	(intrusion with detect\$3) with (fail\$3 adj count\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 14:17
S44	13	(authenticat\$3) with (fail\$3 adj count\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/08 15:18
S45	7	S44 and @ad<"20010612"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 14:17
S46	495	authenticat\$3 with "mac address"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:07
S47	97	S46 and @ad<"20010612"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:07
S48	53	S47 and (request\$3 with (communication or ip) with address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:15

S49	28	S48 and ((wireless or mobile) with (station or device))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:08
S50	0	S48 and fail\$3 adj count\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:22
S51	5	authentica\$3 adj fail\$3 adj count\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:23
S52	3	S51 and @ad<"20010612"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:22
S53	196	(fail\$3 adj count\$3) with (reset\$4 or reset\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:23
S54	23	S53 and authentica\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:23
S55	13	S54 and @ad<"20010612"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:23